


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-50 (canceled)

51. (currently amended) A compound of the formula I(A-F) having the following structure:



IA-IF

wherein: the carbon atom designated * is in the R or S configuration;

R¹ is C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl or C₄-C₇ cycloalkylalkyl, each of which is optionally substituted with 1 to 3 substituents independently selected at each occurrence thereof from C₁-C₃ alkyl, halogen, aryl, -CN, OR⁹ and -NR⁹R¹⁰;

R² is H, C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl, C₄-C₇ cycloalkylalkyl or C₁-C₆ haloalkyl;

R³ is H, -S(O)ₙR¹², -S(O)ₙNR¹¹R¹², -C(O)R¹², -C(O)NR¹¹R¹², C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl, C₄-C₇ cycloalkylalkyl, -O(phenyl), -OC(O)R¹³, or -O(benzyl), wherein each of -O(phenyl) and -O(benzyl) is optionally substituted from 1 to 3 times with a substituent selected independently at each occurrence thereof from halogen, cyano, C₁-C₄ alkyl, C₁-C₄ haloalkyl, or C₁-C₄ alkoxy, or wherein when R³ is a C₁-C₆ alkyl,

C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl or C₄-C₇ cycloalkylalkyl group, then said group is optionally substituted with from 1 to 3 substituents selected independently at each occurrence thereof from C₁-C₃ alkyl, halogen, aryl, -CN, -OR⁹ and -NR⁹R¹⁰; provided that for compounds of formula IA, R³ is C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl or C₄-C₇ cycloalkylalkyl, each of which is optionally substituted with from 1 to 3 substituents selected independently at each occurrence thereof from C₁-C₃ alkyl, halogen, aryl, -CN, -OR⁹ and -NR⁹R¹⁰;

provided that for compounds of formula IB, R³ is -O(phenyl), -O(benzyl), -OC(O)R¹³ or S(O)_nR¹², each of -O(phenyl) and -O(benzyl) is optionally substituted from 1 to 3 times with a substituent selected independently at each occurrence thereof from halogen, cyano, C₁-C₄ alkyl, C₁-C₄ haloalkyl, or C₁-C₄ alkoxy;

R⁴ is H, halogen, -S(O)_nR¹², -S(O)NR¹¹R¹², -CN, -C(O)R¹², -C(O)NR¹¹R¹², -NR¹¹R¹², C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl, C₄-C₇ cycloalkylalkyl, -O(phenyl) or -O(benzyl), wherein each of -O(phenyl) and -O(benzyl) is optionally substituted from 1 to 3 times with a substituent selected independently at each occurrence thereof from halogen, cyano, C₁-C₄ alkyl, C₁-C₄ haloalkyl, or C₁-C₄ alkoxy and wherein when R⁴ is a C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl or C₄-C₇ cycloalkylalkyl group, then said group is optionally substituted with from 1 to 3 substituents selected independently at each occurrence thereof from C₁-C₃ alkyl, halogen, aryl, -CN, -OR⁹ and -NR⁹R¹⁰; provided that for compounds of formula IC, R⁴ is C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl or C₄-C₇ cycloalkylalkyl, each of which is optionally substituted; provided that for compounds of formula ID, R⁴ is -O(phenyl), -O(benzyl), -OC(O)R¹³, -NR¹¹R¹² or -S(O)_nR¹², each of -O(phenyl) and -O(benzyl) being optionally substituted, wherein R³ and R⁴ are not both H;

R⁵, R⁶ and R⁷ in compounds of each of the formulae IA, IB, IC, ID, IE and IF are each independently H, halogen, -OR¹¹, -S(O)_nR¹², -CN, -C(O)R¹², -NR¹¹R¹², -C(O)NR¹¹R¹², -NR¹¹C(O)R¹², -NR¹¹C(O)₂R¹², -NR¹¹C(O)NR¹²R¹³, C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl or C₄-C₇ cycloalkylalkyl, wherein when each of R⁵, R⁶ and R⁷ is a C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl or C₄-C₇ cycloalkylalkyl group, then said group is optionally substituted with from 1 to 3 substituents selected independently at each occurrence thereof from C₁-C₃ alkyl, halogen, aryl, -CN, -OR⁹ and -NR⁹R¹⁰, or R⁵ and R⁶ or R⁶ and R⁷ may together be -O-C(R¹²)₂-O-; provided that for compounds of formula IE at least one of R⁵ or R⁷ is fluoro, chloro, or methyl; or R⁵ and R⁶ are each independently

together -O-C(R¹²)₂-O- in compounds of the formulae IE, but only where R⁷ is fluoro, chloro or methyl; or R⁷ and R⁶ are ~~independently~~ together -O-C(R¹²)₂-O- in compounds of the formulae IE, but only where R⁵ is fluoro, chloro or methyl;

R⁸ is H or halogen, provided that for compounds of formula IF, R⁸ is halogen;

R⁹ and R¹⁰ are each independently H, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₁-C₄ alkoxyalkyl, C₃-C₆ cycloalkyl, C₄-C₇ cycloalkylalkyl, -C(O)R¹³, phenyl or benzyl, where phenyl or benzyl is optionally substituted from 1 to 3 times with a substituent selected independently at each occurrence thereof from halogen, cyano, C₁-C₄ alkyl, C₁-C₄ haloalkyl, or C₁-C₄ alkoxy; or R⁹ and R¹⁰ are taken together with the nitrogen to which they are attached to form piperidine ~~piperidine~~, pyrrolidine, piperazine, N-methylpiperazine, morpholine, or thiomorpholine;

R¹¹ is H, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₁-C₄ alkoxyalkyl, C₃-C₆ cycloalkyl, C₄-C₇ cycloalkylalkyl, -C(O)R¹³, phenyl or benzyl, where R¹¹ is a C₁-C₄ alkyl, phenyl or benzyl group, then said group is optionally substituted from 1 to 3 times with a substituent selected independently at each occurrence thereof from halogen, cyano, C₁-C₄ alkyl, C₁-C₄ haloalkyl, or C₁-C₄ alkoxy;

R¹² is H, amino, C₁-C₄ alkyl, (C₁-C₄ alkyl)amino, C₁-C₄ haloalkyl, C₁-C₄ alkoxyalkyl, C₃-C₆ cycloalkyl, C₄-C₇ cycloalkylalkyl, phenyl or benzyl, where phenyl or benzyl is optionally substituted from 1 to 3 times with a substituent selected independently from halogen, cyano, C₁-C₄ alkyl, C₁-C₄ haloalkyl and C₁-C₄ alkoxy; or R¹¹ and R¹² are taken together with the nitrogen to which they are attached to form piperidine, pyrrolidine, piperazine, N-methylpiperazine, morpholine, or thiomorpholine;

provided that only one of R⁹ ~~or~~ and R¹⁰ are taken together with the nitrogen to which they are attached to form piperidine, pyrrolidine, piperazine, N-methylpiperazine, morpholine, or thiomorpholine;

R¹³ is C₁-C₄ alkyl, C₁-C₄ haloalkyl or phenyl;

n is 0, 1, or 2, and;

aryl is phenyl which is optionally substituted 1-3 times with halogen, cyano, C₁-C₄ alkyl, C₁-C₄ haloalkyl and C₁-C₄ alkoxy, or

an oxide thereof, or a pharmaceutically acceptable salt thereof and ~~wherein if R⁴ is hydrogen, then R³ cannot be hydrogen, n cannot be 0, and R⁹ cannot be hydrogen, wherein if R³ is -S(O)_nR¹², n cannot be 0, and wherein if R³ is -OR⁹, R⁹ cannot be hydrogen.~~

52. (previously presented) The compound of claim 51, wherein R^1 is C_1 - C_3 alkyl.
53. (previously presented) The compound of claim 52, wherein R^1 is CH_3 .
54. (previously presented) The compound of claim 51, wherein R^2 is H, C_1 - C_4 alkyl or C_1 - C_6 haloalkyl.
55. (previously presented) The compound of claim 54, wherein R^2 is H or CH_3 .
56. (previously presented) The compound of claim 51, wherein R^3 is H or R^3 is C_1 - C_4 alkyl, C_3 - C_6 cycloalkyl or C_4 - C_7 cycloalkylalkyl, each of which is optionally substituted with from 1 to 3 substituents selected independently at each occurrence thereof from C_1 - C_3 alkyl, halogen, aryl, $-CN$, $-OR^9$ and $-NR^9R^{10}$ or R^3 is $-O(\text{phenyl})$ or $-O(\text{benzyl})$ optionally substituted from 1 to 3 times with a substituent selected independently at each occurrence thereof from halogen, cyano, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, or C_1 - C_4 alkoxy.
57. (previously presented) The compound of claim 56, wherein R^3 is methyl, ethyl, propyl, or isopropyl.
58. (previously presented) The compound of claim 56, wherein R^3 is $-O(\text{phenyl})$ or $-O-CH_2-(\text{phenyl})$, each of which is optionally substituted from 1 to 3 times with a substituent selected independently at each occurrence thereof from halogen, cyano, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, or C_1 - C_4 alkoxy.
59. (previously presented) The compound of claim 56, wherein R^3 is H.
60. (previously presented) The compound of claim 51, wherein R^4 is H, or R^4 is $-NR^{11}R^{12}$ or R^4 is C_1 - C_4 alkyl, C_3 - C_6 cycloalkyl or C_4 - C_7 cycloalkylalkyl, each of which is optionally substituted, or wherein R^4 is $-O(\text{phenyl})$ or $-O(\text{benzyl})$, each of which is optionally substituted from 1 to 3 times with a substituent selected independently at each occurrence thereof from halogen, cyano, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, or C_1 - C_4 alkoxy.

61. (previously presented) The compound of claim 60, wherein R^4 is methyl, ethyl, propyl, or isopropyl.

62. (previously presented) The compound of claim 60, wherein R^4 is -O(phenyl) or -O(CH₂)(phenyl), each of which is optionally substituted from 1 to 3 times with a substituent selected independently at each occurrence thereof from halogen, cyano, C₁-C₄ alkyl, C₁-C₄ haloalkyl, or C₁-C₄ alkoxy.

63. (previously presented) The compound of claim 60, wherein R^4 is H.

64. (previously presented) The compound of claim 51, wherein R^4 is halogen.

65. (previously presented) The compound of claim 51, wherein one of R^3 and R^4 is H and the other is CH₃.

66. (previously presented) The compound of claim 51, wherein R^5 , R^6 and R^7 are each H, halogen, -OR¹¹, -NR¹¹R¹², C₁-C₆ alkyl and substituted C₁-C₆ alkyl.

67. (previously presented) The compound of claim 66, wherein R^5 , R^6 and R^7 are each H.

68. (previously presented) The compound of claim 66, wherein one of R^5 or R^7 is F, Cl, or Me and the other of R^5 or R^7 and R^6 are H, halogen, -OR¹¹, -NR¹¹R¹², or optionally substituted C₁-C₆ alkyl.

69. (previously presented) The compound of claim 68, wherein R^5 is F, Cl or Me; and R^7 is H.

70. (previously presented) The compound of claim 68, wherein R^5 is F, Cl or Me; and R^6 is H.

71. (previously presented) The compound of claim 51, wherein R^8 is halogen.

72. (previously presented) The compound of claim 71, wherein R^8 is fluoro.

73. (previously amended) The compound of claim 51, wherein:

R^1 is C_1 - C_3 alkyl;

R^2 is H, C_1 - C_4 alkyl or C_1 - C_6 haloalkyl;

R^3 is C_1 - C_4 alkyl, C_3 - C_6 cycloalkyl or C_4 - C_7 cycloalkylalkyl, each of which is optionally substituted, or R^3 is $-O(\text{phenyl})$ or $-O(\text{benzyl})$, each of which is optionally substituted, or R^3 is H;

R^4 is H, C_1 - C_4 alkyl, C_3 - C_6 cycloalkyl or C_4 - C_7 cycloalkylalkyl, each of which, other than H, is optionally substituted with from 1 to 3 substituents selected independently at each occurrence thereof from C_1 - C_3 alkyl, halogen, aryl, $-CN$, $-OR^9$ and $-NR^9R^{10}$, or R^4 is $-NR^{11}R^{12}$, $-O(\text{phenyl})$ or $-O(\text{benzyl})$, wherein said $-O(\text{phenyl})$ or $-O(\text{benzyl})$, is optionally substituted from 1 to 3 times with a substituent selected independently at each occurrence thereof from halogen, cyano, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, or C_1 - C_4 alkoxy.

or R^4 is halogen;

R^5 , R^6 and R^7 are each halogen, $-OR^{11}$, $-NR^{11}R^{12}$, or C_1 - C_6 alkyl, or one of R^5 and R^7 is Cl, F or Me and the other of R^5 and R^7 and R^6 is H, halogen, $-NR^{11}R^{12}$, C_1 - C_6 alkyl or substituted C_1 - C_6 alkyl.

74. (previously amended) The compound of claim 51, wherein:

R^1 is CH_3 ;

R^2 is H or CH_3 ;

R^3 is H, methyl, ethyl, propyl, isopropyl, $-O(\text{phenyl})$ or $-O-CH_2-(\text{phenyl})$, wherein said $-O(\text{phenyl})$ or $-O-CH_2-(\text{phenyl})$ is optionally substituted from 1 to 3 times with a substituent selected independently at each occurrence thereof from halogen, cyano, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, or C_1 - C_4 alkoxy;

R^4 is H, F, methyl, ethyl, propyl, isopropyl, $-O(\text{phenyl})$ or $-O-CH_2-(\text{phenyl})$, wherein said $-O(\text{phenyl})$ or $-O-CH_2-(\text{phenyl})$ is optionally substituted from 1 to 3 times with a substituent selected independently at each occurrence thereof from halogen, cyano, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, or C_1 - C_4 alkoxy;

R^5 , R^6 and R^7 are each H or R^5 is F, Cl or Me, or one of R^6 or R^7 is H and the other of R^6 and R^7 is halogen, $-OR^{11}$, $-NR^{11}R^{12}$, or optionally substituted C_1 - C_6 alkyl.

75. (previously presented) The compound of claim 73, wherein R⁸ is halogen.
76. (previously presented) The compound according to claim 51, wherein the carbon atom designated * is in the R configuration.
77. (previously presented) The compound according to claim 51, wherein the carbon atom designated * is in the S configuration.
78. (previously presented) A composition comprising a mixture of stereoisomeric compounds of claim 51 wherein the carbon atom designated * is in the S or R configuration.
79. (previously amended) The compound according to claim 51, selected from the group consisting of the following compounds:
- 4-(4-methoxy)phenyl-2,7-dimethyl-1,2,3,4-tetrahydroisoquinoline;
 - 2,7-dimethyl-4-(4-fluoro)phenyl-1,2,3,4-tetrahydroisoquinoline;
 - 2,7-dimethyl-4-(3-fluoro)phenyl-1,2,3,4-tetrahydroisoquinoline;
 - 4-(3,4-difluoro)phenyl-2,7-dimethyl-1,2,3,4-tetrahydroisoquinoline;
 - 2,7-dimethyl-4-(4-fluoro-3-methyl)phenyl-1,2,3,4-tetrahydroisoquinoline;
 - 4-(3-chloro-4-fluoro)phenyl-2,7-dimethyl-1,2,3,4-tetrahydroisoquinoline;
 - 4-(3-chloro)phenyl-2,7-dimethyl-1,2,3,4-tetrahydroisoquinoline;
 - 2,7-dimethyl-4-(4-methyl)phenyl-1,2,3,4-tetrahydroisoquinoline;
 - 2,7-dimethyl-4-(3-fluoro-4-methyl)phenyl-1,2,3,4-tetrahydroisoquinoline;
 - 4-(4-chloro)phenyl-2,7-dimethyl-1,2,3,4-tetrahydroisoquinoline;
 - 4-(4-chloro-3-fluoro)phenyl-2,7-dimethyl-1,2,3,4-tetrahydroisoquinoline;
 - 4-(3,4-dichloro)phenyl-2,7-dimethyl-1,2,3,4-tetrahydroisoquinoline;
 - 7-ethyl-2-methyl-4-phenyl-1,2,3,4-tetrahydroisoquinoline;
 - 4-(3,4-difluoro)phenyl-7-ethyl-2-methyl-1,2,3,4-tetrahydroisoquinoline;
 - 7-fluoro-4-(3-fluoro-4-methoxy)phenyl-2-methyl-1,2,3,4-tetrahydroisoquinoline;
 - 7-fluoro-4-(3-fluoro-4-methyl)phenyl-2-methyl-1,2,3,4-tetrahydroisoquinoline;
 - 7-fluoro-4-(4-chloro-3-fluoro)phenyl-2-methyl-1,2,3,4-tetrahydroisoquinoline;
 - 4-(3,4-difluoro)phenyl-7-fluoro-2-methyl-1,2,3,4-tetrahydroisoquinoline;
 - 4-(3-chloro)phenyl-7-fluoro-2-methyl-1,2,3,4-tetrahydroisoquinoline;
 - 2-methyl-4-phenyl-7-trifluoromethyl-1,2,3,4-tetrahydroisoquinoline;



4-phenyl-1,2,7-trimethyl-1,2,3,4-tetrahydroisoquinoline;
2,8-dimethyl-7-fluoro-4-phenyl-1,2,3,4-tetrahydroisoquinoline;
2-methyl-7-phenoxy-4-phenyl-1,2,3,4-tetrahydroisoquinoline;
7-(4-methoxy)phenoxy-2-methyl-4-phenyl-1,2,3,4-tetrahydroisoquinoline;
7-benzyloxy-2-methyl-4-phenyl-1,2,3,4-tetrahydroisoquinoline;
2,8-dimethyl-4-(4-fluoro)phenyl-1,2,3,4-tetrahydroisoquinoline;
4-(3,4-difluoro)phenyl-2,8-dimethyl-1,2,3,4-tetrahydroisoquinoline;
4-(3,5-difluoro)phenyl-2,8-dimethyl-1,2,3,4-tetrahydroisoquinoline;
2,8-dimethyl-4-(3-fluoro)phenyl-1,2,3,4-tetrahydroisoquinoline;
2,8-dimethyl-4-(4-fluoro-3-methyl)phenyl-1,2,3,4-tetrahydroisoquinoline;
4-(3-chloro-4-fluoro)phenyl-2,8-dimethyl-1,2,3,4-tetrahydroisoquinoline;
4-(3,4-dichloro)phenyl-2,8-dimethyl-1,2,3,4-tetrahydroisoquinoline;
4-(3-chloro)phenyl-2,8-dimethyl-1,2,3,4-tetrahydroisoquinoline;
4-(4-chloro)phenyl-2,8-dimethyl-1,2,3,4-tetrahydroisoquinoline;
4-(4-chloro-3-fluoro)phenyl-2,8-dimethyl-1,2,3,4-tetrahydroisoquinoline;
2,8-dimethyl-4-(4-methoxy)phenyl-1,2,3,4-tetrahydroisoquinoline;
4-(4-cyano)phenyl-2,8-dimethyl-1,2,3,4-tetrahydroisoquinoline;
2,8-dimethyl-4-(4-trifluoromethyl)phenyl-1,2,3,4-tetrahydroisoquinoline;
2,8-dimethyl-4-(4-methyl)phenyl-1,2,3,4-tetrahydroisoquinoline;
2-methyl-8-(N-methylamino)methyl-4-phenyl-1,2,3,4-tetrahydroisoquinoline;
8-(hydroxy)methyl-2-methyl-4-phenyl-1,2,3,4-tetrahydroisoquinoline;
2-methyl-4-phenyl-8-sulfonamide-1,2,3,4-tetrahydroisoquinoline;
2-methyl-8-(N-methyl)sulfonamide-4-phenyl-1,2,3,4-tetrahydroisoquinoline;
4-(3,5-difluoro)phenyl-2,7-dimethyl-1,2,3,4-tetrahydroisoquinoline;
4-(3-chloro-5-fluoro)phenyl-2,7-dimethyl-1,2,3,4-tetrahydroisoquinoline;
4-(3,5-difluoro)phenyl-1,2,7-trimethyl-1,2,3,4-tetrahydroisoquinoline;
2-methyl-4-phenyl-1,2,3,4-tetrahydro-7-isoquinoliny)-N-methylmethanamine;
N-methyl(2-methyl-4-phenyl-1,2,3,4-tetrahydro-
7-isoquinoliny)-N-methylmethanamine;
(2-methyl-4-phenyl-1,2,3,4-tetrahydro-7-isoquinoliny)methanol; and
an oxide thereof, or a pharmaceutically acceptable salt thereof.

80. (previously amended) The compound according to claim 51, selected from the group consisting of the following compounds:

R ¹	R ²	R ³	R ⁴	R ⁵	R ⁶	R ⁷	R ⁸
Me	H	H	Me	H	OMe	H	H
Me	H	H	Me	H	F	H	H
Me	H	H	Me	F	H	H	H
Me	H	H	Me	F	F	H	H
Me	H	H	Me	Me	F	H	H
Me	H	H	Me	Cl	F	H	H
Me	H	H	Me	Cl	H	H	H
Me	H	H	Me	H	Me	H	H
Me	H	H	Me	F	Me	H	H
Me	H	H	Me	H	Cl	H	H
Me	H	H	Me	F	Cl	H	H
Me	H	H	Me	Cl	Cl	H	H
Me	H	H	Et	H	H	H	H
Me	H	H	Et	F	F	H	H
Me	H	H	F	F	OMe	H	H
Me	H	H	F	F	Me	H	H
Me	H	H	F	F	Cl	H	H
Me	H	H	F	F	F	H	H
Me	H	H	F	Cl	H	H	H
Me	H	H	CF ₃	H	H	H	H
Me	Me	H	Me	H	H	H	H
Me	H	Me	Me	H	H	H	H
Me	H	Me	F	H	H	H	H
Me	H	H	O(Ph)	H	H	H	H
Me	H	H	O(4-OMePh)	H	H	H	H
Me	H	H	O(CH ₂ Ph)	H	H	H	H
Me	H	Me	H	H	F	H	H
Me	H	Me	H	F	F	H	H
Me	H	Me	H	F	H	F	H

R ¹	R ²	R ³	R ⁴	R ⁵	R ⁶	R ⁷	R ⁸
Me	H	Me	H	F	H	H	H
Me	H	Me	H	Me	F	H	H
Me	H	Me	H	Cl	F	H	H
Me	H	Me	H	Cl	Cl	H	H
Me	H	Me	H	Cl	H	H	H
Me	H	Me	H	H	Cl	H	H
Me	H	Me	H	F	Cl	H	H
Me	H	Me	H	H	OMe	H	H
Me	H	Me	H	H	CN	H	H
Me	H	Me	H	H	CF ₃	H	H
Me	H	Me	H	H	Me	H	H
Me	H	CH ₂ NHMe	H	H	H	H	H
Me	H	CH ₂ OH	H	H	H	H	H
Me	H	SO ₂ NH ₂	H	H	H	H	H
Me	H	SO ₂ NHMe	H	H	H	H	H
Me	H	H	Me	F	H	F	H
Me	H	H	Me	F	H	Cl	H
Me	Me	H	Me	F	H	F	H
Me	H	H	Me	F	F	F	H
Et	H	H	Me	H	F	H	H
Me	H	H	CH ₂ NH ₂	H	H	H	H
Me	H	H	CH ₂ NHMe	H	H	H	H
Me	H	H	CH ₂ OH	H	H	H	H

81. (currently amended) The compound according to claim 51, wherein, the compound has the formula:



, where:

<u>R¹R⁴</u>	<u>R²R⁵</u>	<u>R³R⁶</u>	<u>R⁴R⁷</u>
Me	H	F	F
Me	F	H	F
Me	H	F	H
Me	H	H	F.

82. (previously presented) The compound according to claim 79, which is the (+) stereoisomer.

83. (previously presented) The compound according to claim 79, which is the (-) stereoisomer.

84. (previously presented) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a therapeutically effective amount of the compound of claim 51.

85. (currently amended) A method of treating a disorder selected from the ~~groups~~ group consisting of attention deficit disorder, hyperactivity disorder, anxiety, depression, post-traumatic stress disorder, supranuclear palsy, eating disorders, obsessive compulsive disorder, analgesia, nicotine addiction, panic attacks, Parkinsonism and phobia, obesity, late luteal phase syndrome or narcolepsy, cocaine addiction, amphetamine addiction, rejection sensitivity, and lack of mental or physical energy and ~~psychiatric symptoms anger~~, wherein said method comprises:

administering to a patient in need of such treatment a therapeutically effective amount of a compound according to claim 51, or a pharmaceutically acceptable salt thereof.

86-89. (canceled)

90. (previously presented) The method of claim 85 wherein the (+)-stereoisomer of the compound is employed.

91. (previously presented) The method of claim 85, wherein the (-)-stereoisomer of the compound is employed.

92. (previously amended) The method of claim 85, wherein the disorder is attention deficit disorder or ~~A~~hyperactivity disorder.

93. (canceled)